

# THE URBAN OPEN SPACE MANAGER

## INDEX

Volumes 1-3

1996-1998

Entry codes refer to Volume:Number:Page

- Amphibians 3:1:3-4
- Birds 1:4:3-4, 2:2:2, 2:4:1-2; Blackbird 2:4:1-2; Blackcap 2:4:1-2; Bluebird (western) 2:4:1; Chaffinch 2:4:1-2; Chiffchaff 2:4:1-2; Crow (fish) 3:4:4; Dove (collared) 2:4:1; (mourning) 2:4:1; (rock) 2:4:1-2, 3:4:4; (stock) 2:4:1; Eagle (bald) 2:3:3; Firecrest 2:4:1; Flycatcher (ash-throated) 2:4:1; (spotted) 2:4:1; Gnatcatcher (blue-gray) 2:4:1; Goose (Canada) 3:2:1; Grackle (common) 3:4:4; Greenfinch 2:4:1; Hawk (red-tailed) 2:3:2; Jay (blue) 3:4:4; Kingbird (eastern) 3:4:4; Magpie 2:4:1-2; Mockingbird (northern) 2:4:1, 3:4:4; Owl (burrowing) 1:2:4; (great-homed) 2:3:2; (screech) 2:3:2; Robin (American) 2:4:1, 3:4:4; (European) 2:4:2; Serin 2:4:1; Sparrow (house) 2:4:1-2, 3:4:4; (Song) 3:4:4; Starling (European) 3:4:4; (spotless) 2:4:2; Swift (white-throated) 2:4:1; Thrush (song) 2:4:1; (wood) 3:4:4; Tit (blue) 2:4:1-2; (great) 2:4:1-2; Titmouse (plain) 2:4:1; Towhee (rufous-sided) 2:4:1; Treecreeper (short-toed) 2:4:1; Wagtail (white) 2:4:1; Warbler (wood) 2:4:1; Wood-pewee (western) 2:4:1; Wren 2:4:1
- Butterfly 2:2:2, 3:3:2; Checkerspot (common) 3:3:2; Skipper (field) 3:3:2; (woodland) 3:3:2; Swallowtail (western tiger) 3:3:2
- Cluster development 1:1:2, 2:4:1, 2:4:3
- Corridor 2:1:4, 2:4:1-4, 3:2:4, 3:4:1, 3:4:2
- Dragonfly 3:3:3
- Exotic species 1:1:4, 2:4:1, 2:4:3, 3:1:1, 3:3:4
- Fish 3:1:3; Carp 3:4:3; Chub (creek) 3:4:3; Dace (black-nose) 3:4:3; (longnose) 3:4:3; Darter (tessellated) 3:4:3; Minnow (cutlip) 3:4:3; Sucker (white) 3:4:3; Sunfish (green) 3:4:3; Trout (brown) 3:4:3
- Forest conservation 2:2:1, 2:3:1, 2:4:1, 3:1:1-2
- Golf course 2:4:1, 3:3:2
- Grasslands 3:1:2
- Greenspace (bird use of) 3:3:3; (human use of) 2:1:1
- Greenways 2:2:3, 3:4:2
- Habitat fragmentation 2:2:2, 3:2:3, 3:4:1
- Habitat restoration 1:1:1, 3:1:1-2, 3:3:3, 3:4:2-3
- Landscape (human preference for) 1:1:2, 2:1:1, 2:2:3
- Land use 2:4:1, 3:3:2; (and birds) 3:4:4
- Lichens 3:1:2
- Mammals; Cougar (mountain lion) 3:3:1; Coyote 3:3:4; Deer 1:1:3-4, 3:1:2, 3:2:2; Fox (gray) 3:4:1; (red) 2:1:4, 2:2:4; Mouse (cactus) 3:4:1; (California) 3:4:1; (western harvest) 3:4:1; Woodrat (desert) 3:4:1; (dusky-footed) 3:4:1; Raccoon 3:2:2
- Meadows 3:1:1
- MOSS (Metropolitan Open Space System) 1:3:3, 1:4:1
- Municipal wildlife management plans 1:2:1, 1:3:1, 2:4:2-3
- Natural areas management 1:3:3, 2:4:2-3, 3:1:1-2
- Nuisance animals 3:2:1
- Planning, (conservation) 2:3:3, 2:4:2-3; (landscape) 1:4:1, 2:1:2, 2:4:1, 3:2:3
- Plants; Apple 3:3:4; Azalea 3:1:2; Birch (grey) 3:1:2; Bittersweet (oriental) 3:1:1; Bluestem 3:1:2; Cherry 3:3:4; (black) 3:1:2; Cordgrass (salt-marsh) 3:1:1; Cottonwood 3:1:2; Cypress (Monterey) 3:3:4; Grass (Bermuda) 3:3:2; Gum (blue) 3:3:4; Heather (false) 3:1:2; Iceplant 3:3:4; Locust (black) 3:1:2; (honey) 3:1:2; Maple (Norway) 3:1:1; (red) 3:1:2; Mugwort 3:1:2; Phragmites (common reed) 3:1:1; Pine (Monterey) 3:3:4; Pinweeds 3:1:2; Plum 3:3:4; Porcelain berry 3:1:1; Purple loosestrife 1:1:4; Sassafras 3:1:2; Switchgrass 3:1:2; Vaccinium 3:1:2; Viburnum 3:1:2
- Rabies 2:2:4, 3:2:2
- Savanna 1:1:1
- Stormwater management 2:2:2, 2:3:1-2, 3:1:3
- Streams 3:1:3, 3:4:2-3
- Urban open space value 1:4:3, 2:2:3
- Wetlands 2:2:2, 2:4:2-3, 3:1:1, 3:1:3-4, 3:4:2

# THE URBAN OPEN SPACE MANAGER

## INDEX

Volumes 4-6

1999-2001

Entry codes refer to Volume:Number:Page

- Amphibians 4:2:2, 6:1:3, 6:4:3  
Alpha-chloralose 6:1:2-3  
Birds 4:2:1, 4:3:1-3, 5:1:2, 5:2:2-3, 6:1:2-3, 6:4:4; Area-sensitive 5:2:3; Blackbird 4:3:2, 6:1:2-3; (European) 5:2:3; Bluebird 4:3:3; Cardinal (northern) 6:4:2; Chaffinch 4:3:2; Chat (yellow-breasted) 6:3:4; Chickadee (black-capped) 5:1:2; Coot (American) 6:1:2-3; Cowbird (brown-headed) 6:3:4; Crow 4:3:2; (hooded) 4:2:1, 4:3:1; Dove (collared) 4:3:2; (Inca) 4:2:1, 5:1:3, 6:1:3; (mourning) 4:2:1, 5:1:3, 6:1:3; (rock) 4:2:1, 5:2:3, 6:1:2-3, 6:3:4; (white-winged) 6:1:3; Eastern yellow robin (Australia) 6:3:3; Falcon (peregrine) 6:4:1; Fieldfare 4:2:1; Forest 5:2:3-4, 6:4:1; (impact of deer on) 6:4:1; Gnatcatcher (blue-gray) 6:3:4; Goose (Canada) 5:3:3, 6:1:2-3, 6:3:1; Greenfinch 4:3:1-2; Gull 6:1:2-3; (herring) 4:3:2; (ring-billed) 4:3:2; Hawk (Cooper's) 4:2:1, 5:1:3, 6:1:3; (merlin) 4:3:3; (red-tailed) 5:2:3; Insectivores 4:2:1, 5:2:3; Jackdaw 4:2:1; Jay 4:3:2; (blue) 6:4:2; Magpie 4:3:1-2, 5:3:2, 6:1:2-3; Mallard 6:1:2-3; Martin (house) 4:3:2; Mexican duck 6:2:4; Mortality (buildings & windows) 5:1:3; Muscovy 6:1:2-3; Nest predation of 6:3:2-4; Nuthatch 4:3:2; (white-breasted) 6:3:4; Ovenbird 6:3:4, 6:4:2; Owl (burrowing) 6:1:3-4; (great-horned) 4:3:3, 5:4:1-2; Pigeon (feral) 4:3:1-2; Rail (light-footed clapper) 6:2:4; Redstart (black) 4:3:2; Robin (American) 5:2:3; (European) 4:3:2; Rook 4:2:1; Rudy duck 6:2:4; Sparrow 6:1:2-3; (house) 4:2:1, 4:3:1-2, 5:2:3, 6:1:2-3, 6:3:4; Starling (European) 4:3:1-3, 5:2:3, 6:3:4; Swan (mute) 5:3:3, 6:1:2-3; Swift (chimney) 5:2:3; (common) 4:3:2, 5:2:3; (pallid) 4:3:2; Teal (blue-winged) 6:2:4; (cinnamon) 6:2:4; Tern (California least) 6:2:4; Thrush (wood) 6:4:2; Tit (blue) 4:3:1; (coal) 4:2:1; (crested) 4:2:1; (great) 4:3:1-2, 5:1:2; (long-tailed) 4:3:2; (willow) 4:2:1; Titmouse (tufted) 6:4:2; Tree-creeper 4:2:1; Vireo (red-eyed) 6:3:4; Wagtail (white) 4:3:2; Warbler (hooded) 6:4:2; Waterfowl 5:3:3, 6:1:2-3, 6:2:4; Waxwing 4:2:1; Wood duck 4:3:3; Woodpecker (great) 4:2:1; Wren (Carolina) 6:4:2  
Biodiversity 6:2:2  
Butterfly 4:1:3; Skipper (long-tailed) 4:1:4  
Cluster development 4:1:4  
Corridor 4:2:2  
Development (and wildlife habitat) 4:1:4  
Disease (canine distemper) 4:1:3; (rabies) 4:1:3, 4:2:2, 5:1:2; (trichomoniasis) 5:1:3  
Damsel flies 4:3:2  
Dragonfly 4:3:2  
Endangered species 5:3:2  
Exotic species 4:2:1, 4:3:1  
Fish 6:2:2; Asp 6:2:2; Atlantic sturgeon 6:2:2; Atlantic salmon 6:2:2; Bream (common) 6:2:2; (silver) 6:2:2; Carp 6:2:2; Goldfish 6:2:2; Ide 6:2:2; Perch 6:2:2; Roach 6:2:2; Trout (rainbow) 6:2:2  
Forest (conservation of) 4:1:1-2, 4:4:2, 6:4:3; (reclamation of) 6:3:2  
Golf course 4:2:1  
Grasslands 4:3:1, 4:4:2  
Greenspace 4:2:4; (human use of) 5:1:3  
Greenways 4:4:1  
Habitat (classifying & mapping) 5:3:1; (fragmentation) 4:1:4; (restoration) 4:1:1-2, 4:2:2, 4:4:1, 6:2:3; (stone walls) 5:3:1  
Immunocontraception 4:3:3, 6:2:1  
Land use 2:4:1, 3:3:2; (and plants) 5:4:1  
Mammals; Antechinus (brown) 6:3:3; Bobcat 5:2:1; Coyote 4:2:2, 5:2:1-2, 5:4:3-4; Deer 4:1:1, 4:3:3, 5:3:3, 5:4:2-3, 6:1:2, 6:2:1, 6:4:1; Fox 4:3:4; (red) 4:2:2, 4:3:4; (San Joaquin kit) 5:3:2; Javelina 5:2:2; Mouse 4:4:2; Possum (ringtail) 6:3:3; Rabbit 4:3:4; Raccoon 4:1:3, 4:3:4, 5:1:1; Rat (black) 6:3:3; Vole 4:4:2  
Nature parks 4:1:2  
Nuisance animals 4:1:3, 4:3:2-3, 5:1:1, 6:1:2-3, 6:3:1  
Open space protection 6:1:1-2  
Planning (conservation) 4:1:4  
Plants 5:4:1; Alder 4:2:1; Ash 4:4:2; (green) 4:1:1; (mountain) 4:2:1; (white) 6:4:1; Banyan (Chinese) 5:3:1; Birch 4:2:1, 4:4:2; Boxelder 4:1:1; Catsear (spotted) 4:3:1; Cedar (red) 4:1:1; Cherry 4:2:1; (black) 6:3:2, 6:4:3; Conifers 4:2:1; Cordgrass 6:2:4; Cottonwood 4:1:1, 4:2:1; Dogwood (flowering) 6:4:1; (grey) 6:3:2; Elderberry 6:3:2; *Eleocharis* sp. 6:4:2; Eucalyptus 4:2:1; Extinction of 5:4:1; Fig 5:3:1; Grass (bentgrass) 4:3:1; (Bermudagrass) 4:3:1; (canary) 4:3:1; (fescue) 4:3:1; (little quaking) 4:3:1; (perennial ryegrass) 4:3:1; (velvetgrass) 4:3:1; Hawthorn 4:4:2; Hemlock (northern) 4:1:1; Hickory 4:1:1, 6:4:1; Invasive introduced 6:4:2; *Juncus* sp. 6:4:2; Maple 4:1:1; Mulberry (red-berried) 6:3:2; Oak 4:1:1, 4:4:2, 6:4:1; Pine (aleppo) 4:2:1; (Australian) 6:3:2-3; Plum 4:2:1; Poplar (yellow) 6:4:1; Redbud 6:4:1; Russian-olive 4:1:1; *Salix* sp. 6:4:2; *Scirpus* sp. 6:4:2; Spicebush 6:4:1; Sumac (smooth) 6:3:2; (winged) 6:3:2; Sycamore 4:4:2; *Themeda triandra* 4:3:1; Tree-of-heaven 6:3:2; *Typha latifolia* 6:4:2; Viburnum (arrowwood) 6:3:2; Willow (crack) 4:1:1; (goat) 4:4:2; (sand bar) 4:1:1  
Prairie 6:2:4  
Repellent (Dimethyl anthranilate) 5:3:3; (Methiocarb) 5:3:3  
Soils 4:4:3  
Streams 4:1:1  
Wetlands 4:2:2, 6:2:4, 6:4:2  
Wildlife management (public acceptability of management options) 5:3:4

# THE URBAN OPEN SPACE MANAGER

## INDEX

Volumes 7-9

2002-2004

Entry codes refer to Volume:Number:Page

- Biodiversity 7:4:1, 7:4:2, 9:4:2-3  
Birds 7:1:1, 7:1:2, 7:2:2, 8:1:4, 8:2:2-4, 8:3:1-4, 9:1:3, 9:2:1; Blackbird (European) 7:3:3; Black skimmer 7:2:3; Cardinal (northern) 7:1:2; Chickadee (black-capped) 7:1:2, 7:3:2; Cowbird (brown-headed) 7:1:2; Crow (American) 9:1:2; (Indian house) 9:1:1-2; Dove (mourning) 7:1:2; Goose (Canada) 7:3:1, 9:1:4; Grackle (common) 7:1:2; Hawk (Cooper's) 9:4:1; (red-shouldered) 8:2:2; (sharp-shinned) 9:3:3; Jay (blue) 7:1:2; Junco (dark-eyed) 7:1:2; Mynas 8:4:4; Nest predation of 8:2:3-4, 8:3:3; Owl (powerful) 9:1:3; Robin (American) 7:1:2; Scrub-jay (Florida) 9:1:1; Sparrow (Harris's) 7:1:2; (house) 7:1:2; Thrasher (brown) 7:1:2; Thrush (mistle) 7:3:3; (song) 7:3:3; Woodpecker (great spotted) 9:1:3; Wren (house) 7:1:2  
Butterfly 7:3:4  
Corridor 8:3:1; (railroad) 7:1:1  
Feeding 7:3:2  
Fertility control 8:1:2-3  
Forest (conservation of) 9:4:4; (restoration of) 7:1:1, 8:4:1  
Habitat (restoration) 7:3:3, 8:4:1; (riparian) 8:3:2  
Immunocontraception 8:1:2, 8:4:2  
Island biogeography theory 8:3:1  
Lizard 7:2:2, 9:3:3  
Mammals 9:1:4; Bandicoot 9:4:1; Bat 7:4:2-3; Bighorn sheep 9:2:2; Bobcat 9:2:2; Cat (domestic) 9:3:1-2; Coyote 7:4:3, 9:2:2; Deer 7:1:3-4, 8:1:1-3, 8:2:1, 8:4:2-3; Elephant (Asian) 9:2:3; Elk 9:2:3; Fox 8:2:1; (red) 7:4:4; Javelina 7:1:3; Kangaroo 8:1:3; Mouse (prairie deer) 7:4:2; (white-footed) 7:4:2; Raccoon 9:3:1; Vole (meadow) 7:4:2; (prairie) 7:4:2  
Meadow 7:2:1  
Nest cavities 9:1:3-4  
Park 8:3:1, 9:2:1, 9:3:4  
Planning (land-use) 7:4:1  
Plants; Ash (green) 8:4:1; Aspen 7:1:2, 8:4:1; Bergamot (wild) 7:3:4; Blazing star 7:3:4; Blueberry 7:3:3; Bluestem (big) 7:3:4; Cardinal flower 7:3:4; Cherry (black) 7:3:3; Chinkapin 7:4:1; Goldenrod 7:3:3; Hackberry 8:4:1; Hornbeam 7:4:1; Laurel 7:4:1; Lupine 7:3:4; Maple 7:3:3; Milkweed 7:3:4; Mint 7:3:4; Oak 7:1:2, 7:3:3, 7:4:1, 8:4:1; Pine 7:1:2; (ponderosa) 7:1:1; Sassafras 7:3:3; Witch hazel 7:3:3; Zelkova 7:4:1  
Streams 8:3:2  
Street trees 8:1:4  
Trails (recreational) 8:3:3  
Turtle 8:4:1

# THE URBAN OPEN SPACE MANAGER

## INDEX

Volumes 10-12

2005-2007

Entry codes refer to Volume:Number:Page

- Attitudes 11:1:3-4; (toward urban wildlife)  
11:1:3, 12:1:2-3
- Backyard (management of) 11:2:3-4, 12:3:1-2
- Biodiversity 12:1:1
- Birds 11:2:2, 11:4:3-4, 12:2:3, 12:3:2-3; (and forest loss) 12:1:4; (conservation on golf courses) 11:3:2-4
- Choughs (white-winged) 12:1:3
  - Dove (white-winged) 11:2:1
  - Eagle (bald) 10:4:3
  - Falcon (peregrine) 11:4:4
  - Hawk (Cooper's) 12:4:1
  - Magpie (Australian) 10:2:2-3
  - Owl (burrowing) 12:3:1
  - Raven 10:3:2-3
  - Sparrow (house) 11:1:4
- Contaminant (lead) 11:1:4
- Disease 10:4:4; (chronic wasting) 10:4:2-3, 11:1:1; (rabies) 10:2:1-2, 12:2:3-4
- Feeding 10:2:3-4, 10:3:1-2
- Forest (loss and birds) 12:1:4
- Frog (green) 11:2:3
- Golf course 11:3:2-4
- Greenspace 10:2:1, 12:2:1-2
- Habitat (assessment) 10:1:2-3; (restoration) 12:1:1
- Immunocontraception 10:4:1
- Mammals
- Bat 11:4:1; (big brown) 12:3:3-4; (Indiana) 11:4:1
  - Bear (black) 11:3:1-2
  - Bobcat 12:4:3
  - Cat (domestic) 10:1:1-2, 12:2:2, 12:4:1
  - Chipmunk (eastern) 10:3:1
  - Coyote 10:4:3-4
  - Deer 10:1:3, 10:3:3-4, 10:4:1-3, 11:3:1, 11:4:2
  - Elk 11:4:2
  - Fox (red) 10:2:1-2, 10:4:4, 12:4:2, 12:4:4
  - Koala 12:2:1
  - Mountain lion 12:4:3
  - Raccoon 10:3:1-2, 12:1:1-2
  - Squirrel (eastern gray) 10:1:4; (fox) 12:4:2
- Nature conservation 10:1:2
- Open space 11:1:2-3
- Planning 10:2:1, 11:1:2
- Pollution (light) 10:3:4
- Predation (nest) 11:2:1-2
- Wetland (restoration) 11:1:1
- Windows (bird mortality) 10:3:2